

SINCE 1977



泰 燁  
TAYI YEH

# 袖口式包裝機系列 BUNDLE SHRINK WRAPPER SERIES



## 專業袖口式包裝機製造

高效率 / 高產能 / 多元化

## Professional Manufacture of Bundle Shrink Wrappers

High efficiency, High production,  
Flexible applications

### SA-117-V

全自動袖口式封口機(直入式)  
AUTOMATIC SLEEVE TYPE  
PACKAGING MACHINE  
(In-line type)



### TY-137+SA-318PE-L

全自動快速封口收縮包裝機  
AUTOMATIC MIDDLE SPEED SLEEVE  
TYPE PACKAGING MACHINE & PE  
SHRINK TUNNEL  
(Reciprocating type)



泰燁機械有限公司  
TAYI YEH MACHINERY CO., LTD.



精心設計，性能特出的各式包裝機械系列，為您提供優異性能、耐用、經濟的多用途包裝。



**SA-318 PE ▲**  
PE收縮膜包裝機  
PE SHRINK TUNNEL

**SA-117 ▶**

全自動袖口式封口機  
AUTOMATIC SINGLE-LANE  
COLLATION PACKAGING MACHINE

用途  
適用於食品、罐頭、五金工具、電器品、日用品及一般集體包裝。

Use  
Suitable for canned food group packing and general group packing. (with tray)




**SA-106-1 ▶**

全自動袖口式計數整列封口  
收縮包裝機(單線)

FULLY AUTOMATIC COUNTING  
& COLLATING PACKAGING  
MACHINE (Single line)

※可使用透明膜或彩色印刷膜。  
※ Available with transparent PE film or printed PE film.




用途  
適用於食品罐頭類、汽水、飲料、瓶裝水。

Use  
Suitable for Canned food, beverage, bottle water, e.t.c.

**TY-157-CL+SA-318PE-LL ▶**

全自動袖口式高速環繞彩色膜包裝機  
AUTOMATIC SLEEVE TYPE HIGH SPEED  
COLLATING & PACKING MACHINE  
(Revolving type)+PE SHRINK TUNNEL





Superior design, outstanding performance.

The wide range of packaging machinery series offers you the high performance, durability, economy, and maximum versatility for various packaging applications.

## SA-116 ▶

### 全自動袖口式計數整列封口收縮包裝機 AUTOMATIC MULTI-LANE COLLATION PACKAGING MACHINE

#### 用途

適用於食品罐頭、化妝品、瓶罐、鋁箔包、日用品、塑膠瓶罐之集體包裝(圓形、方形、扁形均適用)。

#### Use

Suitable for Canned food, Aluminum foil sacks, Bottle, Carton, Daily-use products, and Plastic bottle group packing. (Available for square, round, flat bottles)



## SA-106-2 ▶

### 全自動袖口式計數整列封口 收縮包裝機(雙線) FULLY AUTOMATIC COUNTING & COLLATING PACKAGING MACHINE (Double lines)



- ※可使用透明膜或彩色印刷膜。
- ※ Available with transparent PE film or printed PE film.

#### 用途

適用於食品罐頭類,汽水,飲料,瓶裝水。

#### Use

Suitable for Canned food, beverage, bottle water, e.t.c.





# Packaging Machinery Series



## 全自動高速包裝機系列 Automatic high speed packaging machine series

型號 Model	電壓 Voltage	耗電量 Consumption	機械尺寸 Machine size LxW (mm)	包裝速度 Speed range★	備註 Remark
TY-157-CL	220/380/415V	25kW	6000x1250 mm	1~50 PPM	請選用適當的收縮機 Work with suitable shrink tunnel
TY-136 (Servo)	220/380/415V	10kW	2950x1900 mm	1~40 PPM	
TY-137 (Cylinder)	220/380/415V	10kW	2800x1450 mm	1~30 PPM	

★包裝速度視產品尺寸及膜厚而定。 The packaging capacity depends on package size and film gauge.

## 全自動袖口式包裝機系統 Automatic sleeve type packaging machine series

型號 Model	機械尺寸 Machine size LxWxH (mm)	輸送帶尺寸 Feeding conveyor dim. LxW (mm)	耗電 Heater kW	包裝物尺寸 Product dim. LxWxH (mm)	包裝速度 Packaging capacity★	備註 Remark
SA-117-V	1830x1630x1710	in-line type	2	200-350x200-350x50-170	1-16 PPM	產品至少需 2公斤 Min. Product weight: 2kg
SA-117	1710x2430x1710	2250x315	2	100-300x200-350x50-170	1-16 PPM	—
SA-117-1	2100x2630x2110	2450x505	2	100-450x200-600x50-170	1-12 PPM	—
SA-116	3850x2500x1900	2460(L)xW 寬視包裝物而定 Depends on product width	24	As specified 360x240x180(Max) 視客戶需求	1-14 PPM	含收縮爐 with tunnel
SA-106-1	5170x1450x2050	—	25	—	1-22 PPM	含收縮爐 with tunnel
SA-106-2	5170x2350x2050	—	50	—	1-44 PPM	含收縮爐 with tunnel

★包裝速度視產品尺寸及膜厚而定。 The packaging capacity depends on package size and film gauge.

※型號SA-106-1 & SA-106-2 工作高度預設為900mm.

## 收縮爐系列 Shrink tunnel series

型號 Model	電源 Power	耗電 Heater kW	收縮爐尺寸 Tunnel size LxWxH (mm)	機械尺寸 Machine size LxWxH (mm)	包裝物尺寸 Product dim. WxH (mm)	馬達 Motor	輸送帶速度 Conveyor speed m/min
SA-316 PVC POF	220V	14	1200x400x250	1865x720x1450	340 x 230 300 x 170	1/4HPx2 1/4HPx2, 25Wx2	0-8
SA-317 PVC POF	220V	19	1200x500x300	1865x820x1500	450 x 270 390 x 220	1/4HPx2 1/4HPx2, 25Wx2	0-8
SA-318 PVC POF	220V	21	1200x600x350	1865x880x1650	550 x 330 470 x 260	1/4HPx2 1/4HPx2, 25Wx2	0-8
SA-319 PVC POF	220V	24	1500x700x400	2400x1060x1690	650 x 350 550 x 300	1/4HPx2 1/4HPx2, 25Wx2	0-8
SA-317 PE	220V	26	1500x500x350	2800x960x1700	350 x 250	1HPx1 1/2HPx1	0-8
SA-318 PE	220V	28	1500x600x450	2800x1060x1800	420 x 350	1HPx1 1/2HPx1	0-8
SA-319 PE	220V	33	1500x700x450	2800x1160x1800	490 x 350	1HPx1 1HPx1	0-8
SA-321 PE	220V	48	2000x900x500	3600x1440x1900	630 x 400	1HPx2 1HPx1	0-8

★包裝速度視產品尺寸及膜厚而定。 The packaging capacity depends on package size and film gauge.

※以上所有機型規格、形狀如有變更，恕不另行通知。 Specifications subject to change without prior notice.



**泰燁機械有限公司**

**TAYI YEH MACHINERY CO., LTD.**

雲林縣斗南鎮延平路3段191號

NO.191, SEC.3, YENPING RD., TOUNAN CHEN,  
YUNLIN HSIEN, TAIWAN.

TEL: 886-5-597-1156(REP.) FAX: 886-5-597-1159

http://www.tayi-yeh.com E-mail:taiyiyeh@ms24.hinet.net